

MY Slackware Install

This is what I do for a lean (not necessarily minimal, but trimmed to my liking) installation. Will continuously update this based on my latest experience.

LastUpdated20230322

- official packages (getslack)
 - without kde & xfce (checkout my getslack config file below)
 - removepkg: gnuchess, xaos, xsnow
 - removepkg: joe, nano, vim-gvim, slackpkg
- setup/config
 - make sure vim does not create backups (edit /usr/share/vim/vimrc)
 - or, run vimstart (from mylshell repo)
 - dmesg no longer allowed for user
 - append etc/rc.d/rc.local ← echo 0 > /proc/sys/kernel/dmesg_restrict
 - or, run setup_slack (from mylshell repo)
 - setup acpi from my personal script
- additional packages (getslackpack)
 - (alien) openjdk libreoffice libreoffice-dict-en“
- additional packages (getslackbuild)
 - dmenu slock st wmname
 - slackware-xdm-theme
 - geany rox-filer pmount unrar
 - nss-mdns avahi libdaemon
 - scripts from slackbuilds.org all gathered [here](#)
- custom [dwm](#) build
 - using my own [build script](#) (which has personalized patches)

To maintain:

- run [slack-update](#)
 - this actually runs 3 scripts (getslack,getslackpack,getslackbuild)
- run [slackpatch](#) (if required)
- run [getslackbuild build -x -i](#) (if required)

Sample configuration files for the above scripts are [here](#).

From:
<http://azman.unimap.edu.my/dokuwiki/> - Azman @UniMAP

Permanent link:
http://azman.unimap.edu.my/dokuwiki/doku.php?id=linux:slack_1release&rev=1736639866

Last update: **2025/01/12 07:57**

